

Référence

- [1] E. Fleury « réseaux de capteurs », 16 décembre 2004.
- [2] K. Sohrabi, J. Gao, V. Ailawadhi and G. Pottie. Protocols for self-organization of a wireless sensor network. *IEEE Personal Communications Magazine*, 7(5): 16-27, 2000.
- [3] I. F. Akyildiz, W. Su, Y. Sankarasubramaniam and E. Cayirci. A survey on sensor networks. *IEEE Communications Magazine*, 40(8): 102-114, 2002.
- [4] J. Hill, R. Szewczyk, A. Woo, S. Hollar, D. Culler and K. Pister. System architecture directions for networked sensors. *ACM SIGLAN Notices*, 35(11): 93-104, 2000.
- [5] J. Feng, F. Koushanfar and M. Potkonjak. System-Architecture for Sensor Networks issues, Alternatives, and Directories. In *Proceedings of the 2002 IEEE International Conference on Computer Design*, 2002.
- [6] V. Raghunathan, A. Kansai, J. Hse, J. Friedman and M. Srivastava. Design considerations for solar energy harvesting wireless embedded systems. In *Proceedings of the 4th international symposium on Information processing in sensor networks*, pages 457-462, 2005.
- [7] H. Karl and A. Willig. *Protocols and architectures for wireless sensor networks*. John Wiley and Sons, Ltd, 2005.
- [8] A. Wang and A. Chandrakasan. Energy-efficient DSPs for wireless sensor networks. *IEEE Signal Processing Magazine*, 19(4): 68-78, 2002.
- [9] TinyOS. Available: <http://webs.cs.berkeley.edu/tos>.
- [10] Crossbow Technology Inc., 2009, <http://www.xbow.com/>.
- [11] A. Makhoul, «Réseaux de capteurs : localisation, couverture et fusion de données», Thèse pour obtenir le grade de docteur de l'Université de Franche-Comté, novembre 2008.
- [12] V. Rajavavivarme, Y. Yang, and T. Yang. An overview of wireless sensor network and applications. In *Proceedings of the 35th Southeastern Symposium on System Theory*, pages 432-436, 2003.

[13] Z. Yang, M. Dong, L. Tong and B-M. Sadler. On the MAC for optimal information retrieval pattern in sensor networks with mobile access. In IEEE Military Communications Conference, 1: 232-237, 2004.

[14] Q. Zhao and L. Tong. Distributed opportunistic transmission for wireless sensor networks. In Proceedings of the International Conference on Acoustics, Speech and Signal Processing, 3: 833-836, 2004.

[15] K. Romer and F. Mattern. The design space of wireless sensor networks. IEEE Wireless Communications. 11(6): 54-61, 2004.

[16] C. F. Huang, Y.C. Tseng. A survey of solutions to the coverage problems in wireless sensor networks. Journal of Internet Technology, 6 (1): 1-8, 2005.

[17] M. Cardei and J. Wu. Energy-efficient coverage problems in wireless ad hoc sensor networks. Elsevier Computer Communications Journal, 29 (4): 413-420, 2006.

[18] S. Soro and W. B. Heinzelman. Cluster head election techniques for coverage preservation in wireless sensor networks. Elsevier Ad Hoc Networks Journal, 7(5): 955-972, 2009.

[19] S. Meguerdichian, F. Koushanfar, M. Potkonjak and M. B. Srivastava. Coverage Problems in Wireless Ad-Hoc Sensor Networks. In 20th Annual Joint Conference of the IEEE Computer and Communications Societies, 3: 1380-1387, 2001.

[20] Y. Shang, W. Rumi, Y. Zhang and M. Fromherz, Localization from Connectivity in Sensor Networks. IEEE Transactions on Parallel and Distributed Systems, 15(11):961-974,2004.

[21] F. Ye, G. Zhong, J. Cheng, S. Lu and L. Zhang. PEAS: A robust energy conserving protocol for long-lived sensor networks. In Proceedings of the 23rd International Conference on Distributed Computing Systems, pages 28–37, 2003.

[22] G. T. Sibley, M. H. Rahimi, G. S, Sukhatme. Robomote: a tiny mobile robot platform for large-scale ad-hoc sensor networks. In Proceedings of IEEE International Conference on Robotics and Automation, 2: 1143-1148, 2002.

- [23] A. Gallais and J. Carle. An Adaptive Localized Algorithm for Multiple Sensor area Coverage. In Proceedings of 21st International Conference on Advanced Information Networking and Applications, pages 525-532, 2007.
- [24] M. Cardei and J. Wu. Energy-efficient coverage problems in wireless ad hoc sensor networks. Elsevier Computer Communications Journal, 29 (4): 413-420, 2006 .
- [25] A. Gallais, J. Carle, D. Simplot-Ryl and I. Stojmenovic. Localized Sensor Area Coverage with Low Communication Overhead. In IEEE transactions on mobile computing, 7(5): 661-672, 2008.
- [26] B. Wang, C. Fu and H. B. Lim. Layered Diffusion-based Coverage Control in Wireless Sensor Networks. Elsevier Computer Networks Journal, 53(7): 1114-1124, 2009.
- [27] M. Cardei and D. Z. Du. Improving Wireless Sensor Network Lifetime through Power Aware Organization. ACM Wireless Networks, 11(3): 333-340, 2005.
- [28] M. Cardei, M. T. Thai, Y. Li and W. Wu. Energy-Efficient Target Coverage in Wireless Sensor Networks. In 24th Annual Joint Conference of the IEEE Computer and Communications Societies, 3: 1976-1984, 2005.
- [29] S. Yang, F. Dai, M. Cardei and J. Wu. On Multiple Point Coverage in Wireless Sensor Networks. In Proceedings of the 2nd IEEE Intern Conference on Mobile Adhoc and Sensor Systems, 2005.
- [30] S. Kumar, T. H. Lai and A. Arora. Barrier Coverage with Wireless Sensors. In Proceedings of the 11th annual international conference on Mobile computing and networking, pages 284-294, 2005.
- [31] M. X. Cheng, L. Ruan and W. Wu. Achieving Minimum Coverage Breach under Bandwidth Constraints in Wireless Sensor Networks. In proceedings of the 24th conference of the IEEE Communications Society, 4: 2638-2645, 2005.
- [32] A. Chen, S. Kumar, T. H. Lai. Designing localized algorithms for barrier coverage. In Proceedings of the 13th annual ACM international conference on Mobile computing and networking, pages 63-74, 2007.
- [33] S. Slijepcevic and M. Potkonjak. Power Efficient Organization of Wireless Sensor Networks. IEEE International Conference on Communications, 2: 472-476, 2001.

[34] P. Berman, G. Calinescu, C. Shah and A. Zelikovsky. Power Efficient Monitoring Management in Sensor Networks. In IEEE Wireless Communications and Networking Conference, 4: 2329-2334, 2004.

[35] J. Deng, Y. S. Han, W. B. Heinzelman and P. K. Varshney. Scheduling Sleeping Nodes in High Density Cluster-based Sensor Networks. Mobile Networks and Applications, 10(6): 825-835, 2005.

[36] T. Nieberg, S. Dulman, P. Havinga, L. V. Hoesel and J. Wu. Collaborative algorithms for communication in wireless sensor networks. Ambient Intelligence: Impact on Embedded Systems design, pages 271-294, 2003.

[37] L. Yen, C. W. Yu and Y. Cheng. Expected k-coverage in wireless sensor networks. Elsevier Ad Hoc Networks Journal, 4(5): 636-650, 2006.

[38] S. Jain and S. Srivastava. A Survey and Classification of Distributed Scheduling Algorithms for Sensor Networks. In Proceedings of the 2007 International Conference on Sensor Technologies and Applications, pages 88-93, 2007.

[39] Introduction to the global positioning system for GIS and TRAVERSE, Corvallis Microtechnology, Inc., 1996. Available : <http://www.cmtinc.com/gpsbook/index.htm>.

[40] G. Mao, B. Fidan and B. D. Anderson. Wireless sensor network localization techniques. Elsevier Computer Networks Journal, 51(10): 2529–2553, 2007.

[41] J. Carle, A. Gallais and D. Simplot-Ryl. Preserving area coverage in wireless sensor networks by using surface coverage relay dominating sets. In Proceedings of 10th IEEE Symposium on Computer and Communications (ISCC'2005), pages 347–352, 2005.

[42] C. Adjih, P. Jacquet, and L. Viennot. Computing connected dominated set with multipoint relays. Ad Hoc and Sensor Wireless Networks journal, 1(3): 27-39, 2005.

[43] R. M. Karp. Reducibility among combinatorial problems. In R. E. Miller and J. W. Thatcher, editors, Complexity of Computer Computations, pages 85–103. Plenum Press, New York, 1972.

[44]:A.Gallais,J.Carle,D. Simplot-RylandI. Stojmenovic. Localized sensor area coverage with low communication overhead. In Proceedings of the 4th Annual IEEE International Conference on Pervasive Computing and Communications (PERCOM'06), pages 328–337, 2006.

[45]:G.Xing, X.Wang, Y.Zhang, C.Lu,R.Pless and C. Gill. Integrated coverage and connectivity configuration for energy conservation in sensor networks. ACM Transactions on Sensor Networks (TOSN), 1(1):36-72, 2005.

[46] :H. Zhang and J. C. Hou. Maintaining sensing coverage and connectivity in large sensor networks. Ad Hoc and Sensor Wireless Networks journal (AHSWN), 1:89-123, 2005.

[47]:D.Tian and N.Georganas. A coverage-preserving node scheduling scheme for large wireless sensor networks. In Proceedings of the 1st ACM International Workshop on Wireless Sensor Networks and Applications, pages 32-41, 2002.

[48]:K.Langendoen and N.Reijers. Distributed localization in wireless sensor networks: a quantitative comparison. Elsevier Computer Networks Journal, 43:499-518, 2003.

[49]:F.Ye,H.Zhang, S.Lu, L.Zhang and J.Hou. A randomized energy-conservation protocol for resilient sensor networks. Wireless Networks, 12(5):637-652, 2006.

[50]:B.Pazand and A.Datta. Minimum Dominating Sets for Solving the Coverage Problem in Wireless Sensor Networks. In Proceedings of the International Symposium on Ubiquitous Computing Systems (UCS 2006), pages 454-466, 2006.

[51]:O.Younis, M.Krunz and S.Ramasubramanian. Location-unaware coverage in wireless

[52]:M.Cardei, M.T.Thai, Y.Li and W.Wu. Energy-Efficient Target Coverage in Wireless Sensor Networks. In 24th Annual Joint Conference of the IEEE Computer and Communications Societies, 3:1976-1984, 2005.

[53]:M.Zhang, M.C.Chan and A.L.Ananda. Coverage Protocol for Wireless Sensor Networks Using Distance Estimates. In 4th Annual IEEE Communications Conference on Sensor and Ad Hoc Communications and Networks, pages 183-192, 2007.

[54]:M.AboelazeandF.Aloul. Currentand Future Trends in Sensor Networks: A Survey. In 2nd IFIP International Conference on Wireless and Optical Communications Networks, pages 551-555, 2005.

[55]:L.Benini, G.Castelli, A.Macii, E.Macii, M.PoncinoandR.Scarsi. A discrete-time battery model for high-level power estimation. In Proceeding of the conference on Design, automation and test in Europe, pages 35-41, 2000.

[56]:C.F.ChiasseriniandR. R.Rao. Pulsed battery discharge in communication devices. In Proceeding of the 5th.

[57]:K.Romer, P.Blumand L.Meier. Time Synchronization and Calibration in Wireless Sensor Networks. Hand book of Sensor Networks, I.Stojmenovic ,ed., John Wiley & Sons, pages 199-238, 2005.

[58]:I.StojmenovicandS.Olariu. Data centric protocols for wireless sensor networks. Hand book of Sensor Networks: Algorithms and Architectures (I.Stojmenovic, ed.), Wiley, pages 417-456, 2005.

[59]:IEEE standard for information technology – telecommunication sand information exchange between systems – local and metropolitan area networks specific requirements part 15.4: wireless medium access control (MAC) and physical layer (PHY) specifications for low-rate wireless personal area networks (LR-WPANs), 2003.

[60]:S.Guhaand S.Khuller. Approximation Algorithms for Connected Dominating Sets. In Proceeding of the 4th Annual European Symposium on Algorithms, pages 179-193, 1996.

[61]:The Network Simulator ns-2. Available from <http://www.isi.edu/nsnam/ns/>

[62]:The OMNeT++ Discrete Event Simulator System. Available from <http://www.omnetpp.org/>.

[63]:GloMoSim: Global Mobile Information Systems Simulation Library. Available from <http://pcl.cs.ucla.edu/projects/glomosim/>.

[64] :B.Pazandand A.Datta. Minimum Dominating Sets for Solving the Coverage Problem In Wireless Sensor Networks. In Proceeding softhe International Symposiumon Ubiquitous Computing Systems (UCS2006),pages454-466,2006.

[65]:A.Gallais, J.Carle, D.Simplot-RylandI. Stojmenovic. Localized Sensor Area Coverage with Low Communication Overhead. In IEEE transactions on mobile computing, 7(5):661-672,2008.

[66]

[67] : O. Younis, M. Krunz and S. Ramasubramanian. Location-unaware coverage in wireless sensor networks. Elsevier Ad Hoc Netw