

Bibliographie

- [1] L. Aït Oubelli, "Mise en œuvre d'un modèle générique du convertisseur matriciel dans les environnements Emtp-Rv et Matlab Simulink," Mémoire de Maîtrise, École Polytechnique de Montréal, France, Décembre 2011.
- [2] P. Delarue, C. Rombaut, and G. Séguier, "Les convertisseurs de l'électronique de puissance," Lavoisier, 3rd Edition, 2007.
- [3] P. Kazmierkowski, M. R. Krishnan, and F. Blaabjerg, "Control in Power Electronics: Selected Problems," Academic Press, Edition E. Science, 2002, San Diego.
- [4] L. Zhang, C. Watthanasam, and W. Shepherd, "Analysis and comparison of control techniques for AC-AC matrix converter," IEE Proc. of Electronic Power Applications, vol. 145, no. 4, 1998.
- [5] K. Ghadamsi, "Contribution à la modélisation et la commande d'un convertisseur direct de fréquence application à la conduite de la machine asynchrone," Thèse de Doctorat, Ecole Nationale Polytechnique d'Alger, Algérie, 2008.
- [6] L. Gjugyi and B. Pelly, "Static power frequency changers," Wiley, 1976, New York.
- [7] P. W. Wheele, J. C. Clare, L. Empringham, M. Bland and K. G. Kerris, "Matrix converter: A vector controlled MCT matrix converter induction motor drive with minimized commutation times and enhanced waveform quality," IEEE Industry Applications Magazine, pp. 59-65, 2004.
- [8] L. Duguay, "Commande programmable pour un convertisseur direct," École Polytechnique de Montréal, Montréal, 1988.
- [9] P. J. Grbovic, "A turn-on performance of reverse blocking IGBT (RB IGBT) and optimization using advanced gate driver," IEEE Transactions on Power Electronics, pp. 970-980, 2010.
- [10] Sim Power Systems User's Guide, 2011, The MathWorks Inc.

- [11] François Gruson, "Modulation naturelle généralisée des convertisseurs matriciels pour la variation de vitesse," Thèse de Doctorat, Ecole Centrale de Lille, 2010.
- [12] M. Hamouda, F. Fnaiech, and K. Al-Haddad, "Input filter design for SVM Dual-Bridge Matrix Converters," *Proceeding ISIE*, vol. 2, pp. 797-802, 2006.
- [13] S. F. Pinto and J. F. Silva, "Input filter design for sliding mode-controlled matrix converters," *Proceeding PESC*, vol. 2, pp. 648-653, 2001.
- [14] P. W. Wheeler, H. Zhang, and D. A. Grant, "A theoretical and practical consideration of optimized input filter design for a low loss matrix converter," *Proceeding PEVSD*, pp. 363-367, 1994.
- [15] P. Wheeler and D. Grant, "Optimized input filter design and low-loss switching techniques for a practical matrix converter," *Proceeding EPA*, vol. 1, pp. 53-60, 1997.
- [16] M. Matteini, "Control techniques for matrix converter adjustable speed drives," Ph.D. Thesis, Bologna University, 2001.
- [17] P. Nielsen, F. Blaabjerg, and J. K. Pedersen, "New protection issues of a matrix converter: design considerations for adjustable-speed Drives," *IEEE Transactions on Industry Applications*, vol. 35, no. 5, pp. 1150-1161, 1999.
- [18] L. Empringham, L. de Lillo, W. W. Patrick and J. Clare, "Matrix converter protection for more electric aircraft Applications," *IEEE IECON 2006 -32nd Annual Conference on Industrial Electronics*, pp. 2564-2568, Paris, 2006.
- [19] J. Bauer, S. Fligl, and A. Steimel, "design and dimensioning of essential passive components for the matrix converter prototype," *Automatika*, vol. 53, no. 3, pp. 225-235, 2012.
- [20] Z. Ait Ouali, "Application des FPGA à la commande d'un moteur asynchrone," Thèse de Magistère, Université de Mouloud Mammeri, Tizi-Ouzou.
- [21] A. Alesina and M. Venturini, "Solid-state power conversion: a Fourier analysis approach to generalized transformer synthesis," *IEEE Transactions on Circuits and Systems*, vol. 28, no. 4, pp. 319-330, 1981.
- [22] M. Venturini, "A new sine wave in sine wave out, conversion technique which eliminates reactive Elements," *Proceeding POWERCON*, vol. 3, pp. 1-15, 1980.
- [23] A. Alesina and M. G. B. Venturini, "Analysis and design of optimum amplitude nine switch direct AC-AC converters," *IEEE Trans. Power Electron.*, vol. 4, pp. 101-112, 1989.
- [24] G. Roy, L. Duaguay, S. Manias, and G.E April, "Asynchronous operation of cycloconverters with improved voltage gain by employing a scalar control algorithm," *Proceeding IAS*, pp. 889-898, 1987.

- [25] G. Roy and G. E April, "Cycloconverter operation under a new scalar control algorithm," Proceeding PESC, vol. 1, pp. 368-375, 1989.
- [26] L. Huber and D. Borojevic, "Space vector modulated three-phase to three-phase matrix converter with input power factor correction," IEEE Transactions on Industry Applications, vol. 31, no. 6, pp. 1234-1246, 1995.
- [27] H. J. Cha, "Analysis and design of matrix converter for adjustable speed drives and distributes power sources," Ph.D. Thesis, A&M Texas University, 2010.
- [28] P. Nielsen, F. Blaabjerg, and J. K. Pedersen, "Space vector modulated matrix converter with minimized number of switchings and a feed-forward compensation of input voltage unbalance," Proceeding PEDES, vol. 2, pp. 833-839, 1996.
- [29] A. Azzib, "Etude de la MASDE alimentée par convertisseur matriciel," Thèse de Magistère, Université de Bejaia, 2009.
- [30] M. S. Boucherit, "Sur l'application d'automatique moderne dans la commande des machines électriques," Thèse de Doctorat d'Etat, Ecole Nationale Polytechnique d'Alger, 1995.
- [31] F. Blaschke, "The principle of field orientation as application to the new transvector closed-loop control system for rotating field machines," Siemens Review, vol. 34, 1972.
- [32] M. Kadjoudj, "Contribution à la commande d'une machine synchrone à aimants Permanents," Thèse de Doctorat, Université de Batna, 2004.
- [33] P. Vas, "Vector control of AC machine," Clarendon press, 1990.
- [34] V. Petrovic, "Saliency-based position estimation in permanent magnet synchronous Motors," Ph.D. Thesis, Northeastern University, 2001.
- [35] J. Chiasson, "Modelling and high-performance control of electric machines," IEEE Press, 2005.
- [36] D. A. Khabouri, "Contribution à la commande vectorielle des machines synchrones à aimants permanents sans capteurs mécaniques," Thèse de Doctorat, Institut National Polytechnique de Lorraine, 1998.
- [37] N. Bernard, "Machine Synchrone : de la boucle ouverte à l'autopilotage," Revue 3EI, n° 30, pp. 24-39, 2002
- [38] H. Abdellaoui, "Etude expérimentale de la position rotorique d'un moteur synchrone à aimants permanents par variables électriques," Mémoire de Magister, Université de Tizi Ouzou.
- [39] F. Khatounian, "Contribution à la modélisation, l'identification et à la commande d'une interface haptique à un degré de liberté entraînée par une machine synchrone

- à aimants permanents,” Thèse de Doctorat, Ecole Normale Supérieure de Cachan, 2006.
- [40] B. Robyns, “Commandes numériques évoluées des actionneurs à courant alternatif,” Thèse de doctorat, Université catholique de Louvain, 1993.
- [41] Z. Ibrahim and E. Levi, “A comparative analysis of fuzzy logic and PI speed control in high-performance AC drives using experimental approach,” *IEEE Trans. on Industry Applications*, vol. 38, no. 5, pp. 1210-1218, 2002.
- [42] A. Bouscayrol, et T. Communal, “Approche globale de la commande dynamique de machines électriques,” *Revue 3EI*, no. 17, pp. 73-79, 1999.
- [43] Pierre Mayé, “Aide-mémoire électrotechnique,” Edition Dunod, Paris, 2006.
- [44] G. Grellet et G. Clerc, “Actionneurs électriques, Principes – Modèles – Commande,” Edition Eyrolles, Paris, 1994.
- [45] A. Kaddouri, “Etude d’une commande non linéaire adaptative d’une machines synchrones à aimants permanents,” Thèse de Doctorat, Université Laval, Québec, 2000.
- [46] J. P. Louis et C. Bergmann, “Commande numérique des machines synchrones,” *Techniques de l’Ingénieur, Traité Génie Electrique*, D3644, 1999.
- [47] L. Personnaz et I. Rivals, “Réseaux de neurones Formels pour la modélisation, la commande et la classification,” Edition CNRS, 2003.
- [48] Babak, “Commande vectorielle sans capteur mécanique des machines synchrones à aimants : méthodes, convergence, robustesse identification "en ligne" des paramètres,” Thèse de Doctorat, Institut National Polytechnique de Lorraine, 2001.
- [49] C. Bouchereb, “Contrôle direct du couple des machines synchrones,” *Mémoire de Magister en Electrotechnique*, Université de Batna, 2005.
- [50] J. Faucher, “Les plans d’expériences pour le réglage de commandes à base de logique floue,” Thèse de Doctorat, Institut National Polytechnique de Toulouse (INPT), Toulouse, 2006.
- [51] G. Rami, “Contribution à l’étude théorique et expérimentale d’un filtre actif parallèle à commande analogique et numérique temps réel,” Thèse de Doctorat, Institut National Polytechnique de Grenoble (INPG), Grenoble, 2006.
- [52] T. C. Minh, “Commande numérique de machines asynchrones par logique floue,” Thèse de Doctorat, Université Laval, Québec, 1997.
- [53] R. Kettata, “Méthodologies des régulateurs numériques incluant la logique floue,” Thèse de Doctorat, INSA de Toulouse, 1992.
- [54] R. Jager, “Fuzzy logic in control,” *Ph.D. Thesis*, Technische University, Delft, 1995.

- [55] A. Bouafia, "Techniques de commande prédictive et floue pour les systèmes d'électronique de puissance : application aux redresseurs à MLI," Thèse de Doctorat, Université Ferhat Abbas, Setif, 2010.
- [56] H.-U. Rehman and H. N. Nounou, "Application of adaptive fuzzy control to AC machines," *Applied soft Computing* vol. 7, pp. 899-907, 2006.
- [57] M. Ta-Cao and H. Le-Huy, "Rotor resistance estimation using fuzzy logic for high performance induction motor drives," *Conf. Rec. IEEE/IECON Aachen Germany*, pp. 303-308, 2002.
- [58] A. Tlemcani, "Sur la commande adaptative par les systèmes floue : application à la machine synchrone à aimant permanents," Mémoire de Magister, Ecole Nationale Polytechnique d'Alger, 1999.
- [59] W. Wang and C. Wang, "A rotor flux observer based composite adaptive speed controller for an induction machine," *IEEE Trans. on energy conversion*, vol. 12, no. 4, pp. 0323-329, Dec. 1997.
- [60] J. K. Kang, D.W Chung, and S. K. Sul, "Analysis and prediction of inverter switching frequency in direct torque control of induction machine based on hysteresis bands and machine parameters," *IEEE Transactions on Industrial Electronics*, vol. 48, no. 3, pp. 545-553, 2001.
- [61] F. Al. Tazerart, "Fuzzy logic control for a speed control of induction motor fed by nine switch matrix converter," *Conference ICEEA'1*, Béjaia, Algeria, 02-03 2010.
- [62] S. Brock, "User-friendly design method for fuzzy speed controller for servo drives," *IEEE Conference Publications*, pp. 17- 21, 1999.
- [63] H. Wilfried and K. Michael, "Fuzzy logic-based control of flux and torque in AC drive," *IEEE Conference Publications*, vol. 2, pp. 710 - 715, 1992.
- [64] A. Kheldoun "Amélioration des performances d'un variateur de vitesse par moteur asynchrone contrôlé par la méthode à flux orienté," Thèse de Doctorat, Université de Boumerdès, 2007.
- [65] K. Nabti, "Contribution à la commande de la machine asynchrone par DTC et logique floue," Mémoire de Magister, Université Mentouri, 2006.
- [66] H. Bennoui, "Apport de la logique floue et des réseaux de neurones pour la commande avec minimisation des pertes de la machine asynchrone," Mémoire de Magister, Université de Batna, 2009.