



N° order: .....

**UNIVERSITY OF M'SILA**  
**FACULTY OF MATHEMATICS AND COMPUTER SCIENCE**  
**Department of Computer Science**

**Dissertation**

**Presented for obtaining the diploma of master**

**Field: Mathematics and Computer Science**

**Sector: Computer Science**

**Specialty: Advanced Information Systems**

**By:**

**LAKEHALI Meryem**

**TOPIC**

**A PEER-TO-PEER APPLICATION FOR MULTIMEDIA FILE  
EXCHANGING BETWEEN SMARTPHONE USERS**

**Defended publicly on: 28/05/2012 by the jury consisting of:**

**Mr. M. BENAZI** University of M'sila President.  
**Mr. M. BRAHIMI** University of M'sila Supervisor.  
**Mr. M. BRIK** University of M'sila Examiner.  
**Mr. M. KAMAL** University of M'sila Examiner.

**Academic year: 2011/2012**

---

# Contents

## General Introduction

1. Motivation .....	1
2. Problem specification .....	1
3. Objectives.....	2
4. Structure.....	2

## CHAPTER 01: Mobile devices

1. Introduction.....	3
2. Characteristics of mobile phones.....	3
3. Operating Systems for Smartphones.....	4
3.1. Android from Google .....	4
3.2. BlackBerry OS from RIM.....	5
3.3. iOS from Apple.....	5
3.4. Symbian.....	5
3.5. Windows Phone from Microsoft.....	6
4. Software Development for Smartphones.....	6
4.1. The SDK.....	7
4.2. The (Software-) Emulator.....	7
4.3. The IDE.....	7
5. Conclusion.....	8

## CHAPTER 02: The Peer-To-Peer technology

1. Introduction.....	9
2. What is P2P.....	9
3. Client/Server Architecture.....	10
4. P2P Network Architectures.....	11
4.1. Centralized Architecture.....	11
4.2. Decentralized Architecture.....	12
4.3. Hybrid Architecture.....	13
5. Resource Discovery.....	14
5.1. No discovery.....	14
5.2. Direct Discovery.....	14
5.3. Indirect Discovery.....	15
6. Why Peer-to-Peer networking.....	15

---

6.1. Distributed computing power.....	15
6.2. No single point of failure.....	15
6.3. Distributed search.....	16
7. Popular Peer-to-Peer Protocols.....	16
7.1. Napster.....	16
7.2. Gnutella.....	17
7.3. Freenet.....	17
8. Conclusion.....	18

### CHAPTER 03: Adobe AIR and RTMFP

1. Introduction.....	19
2. Adobe Flash Player.....	19
3. Adobe Integrated Runtime AIR.....	20
4. Cirrus service.....	20
5. RTMFP.....	21
5.1. Difference between RTMP and RTMFP.....	21
5.2. Using RTMFP with Flash Player 10.....	22
6. What's new with RTMFP, Flash Player 10.1, and Cirrus 2.....	23
7. Conclusion.....	28

### CHAPTER 04: A Peer-To-Peer prototype based on RTMFP

1. Introduction.....	29
2. Operating environment of the project.....	29
3. Exposition of the problem.....	30
4. Architecture of the system.....	30
5. Design and modeling.....	31
5.1. Functional modeling.....	32
5.1.1. The use case of the system.....	32
5.1.2. Description of the diagram.....	32
5.2. Static modeling.....	33
5.2.1. Class diagram.....	33
5.2.2. Description of the diagram.....	33
5.3. Dynamic modeling.....	35
5.3.1. The sequence diagram.....	35
5.3.2. State-transition diagram.....	37
6. Conclusion.....	38

---

## CHAPTER 05: Implementation and exploitation

1. Introduction.....	39
2. The deployment diagram.....	39
3. Presentation of the system.....	40
4. Algorithmic solution of tasks of peer.....	41
4.1. Procedure to update the shared space.....	41
4.2. Search procedure, browse and download documents.....	42
4.3. Programming the algorithms of the tasks.....	43
4.4. The work tools.....	43
4.4.1. ActionScript.....	43
4.4.2. Adobe Flash Builder.....	44
4.5. Launch of the application.....	44
5. Conclusion.....	47
<b>General conclusion and Future Research</b> .....	48
1. General conclusion.....	48
2. Future research.....	48
<b>References</b> .....	49

Figure 13- The sequence diagram of sharing .....	39
Figure 14- The sequence diagram of the search, download and browse .....	42
Figure 15- Sequence diagram of the Chat .....	43
Figure 16- State-transition diagram .....	43
Figure 16- State-transition diagram .....	43
Figure 18- Presentation of the system .....	40
Figure 19- Procedure to update the shared space .....	41
Figure 20- Search procedure, browse and download documents .....	42
Figure 21- Home page .....	44
Figure 22- The page of sharing the file .....	43
Figure 23- Select Player .....	43

---

## 1. Motivation :

Peer-to-Peer programming (P2P) has in recent years become a widely explored research area and gets a lot of attention in both media and the computer industry. It has changed the way we communicate, collaborate and share resources. Implementations such as MSN Messenger or Skype have become almost mandatory for internet users, enabling instant communication in a way that makes E-mail appear antiquated. Internet traffic is now mainly dominated by P2P networks for file sharing, such as Gnutella and BitTorrent.

Personal wireless devices such as mobile phones have evolved from pure cellphones to small all-in-one devices that, in addition to being phones, contain camera, radio, mp3 player and the ability to connect to the Internet. The computing resources are constantly increasing, unlocking a great potential; to have personal wireless devices participate as Peers on a Peer-to-Peer network!

The obvious possibilities of instant messaging and file sharing can very likely become as popular as they have on a traditional P2P network, but an additional property will lead to new possibilities; the mobile phone is a personal device. It is always with us, it defines us and represents us at all times, wherever, whenever. This can be exploited in many ways, for instance in collaboration over large distances to solve a common problem, or personal monitoring in medical situations.

## 2. Problem specification :

P2P programming paradigm is increasingly becoming a dominant mode of resource sharing and cooperative problem solving. Traditionally, a peer is a computing device with substantial amount of computing power and resources. However, it will be an interesting idea if small wireless devices (such as mobile phones and wireless sensors) are also made peers. In this context, programming wireless devices has many challenges. The primary objective of this thesis work is to build a P2P system consisting of wireless devices only. In particular, we plan to investigate the following problems:

1. How do the limitations of the wireless devices (such as total power remaining in the battery, losing communication with other peers at any time, small displays, and limited CPU power and memory) affect the solutions to a problem, and how do they affect the program logic?

2. In dynamic emergency situations, how is programming or computing distributed amongst the other wireless peers so that in case of power failure or disruption in communications, the network can ensure a graceful degradation?

We propose to create a mobile P2P scenario and build a prototype in ActionScript 3 API based on the system design using phone emulators.

### 3. Objectives :

The main objective of this thesis is to build a Peer-to-Peer system for wireless devices. The system design will be based on an open, the protocol-based of P2P platform called RTMFP, which enables the developer to focus on the end-system instead of the extensive task of creating the P2P network. The prototype will be developed in ActionScript 3 for the Adobe AIR platform.

Firstly, Adobe Flash Player, P2P networking and the RTMFP technology will be investigated. Based on this a Mobile Peer-to-Peer system will be designed a prototype will be implemented using phone emulators.

Next, the application will be tested to see how it performs in a scalable network and how it performs when transferring large files.

### 4. Structure :

In first chapter we will give a short overview of today's Smartphones and limitations.

In the second chapter we review different architectures of peer-to-peer networks and compare those to the traditional client/server architecture.

In the third chapter we discuss a generalization of the RTMFP.

The first part of the fourth chapter describes a case study and an overview of our system and the second presents the modeling.

The last chapter presents the work tools and the implementation of this application.

## 1. General conclusion:

Developing Peer-to-Peer networks for wireless devices is a new and promising research area, rising with the new mobile technology. With this thesis, I have proposed a way to implement a mobile Peer-to-Peer system based on the protocol RTMFP, an effort to define a common framework for P2P applications. The Real-Time Media Flow Protocol (RTMFP) is a communication protocol from Adobe that enables direct end user to end user peering communication between multiple instances of the Adobe Flash Player client and applications built using the Adobe AIR framework for the delivery of rich, live, real-time communication.

Because of a mobile device's technological constraints, the best wireless P2P solution should involve more powerful peers acting as a proxy and relays on a fixed network. This gives both the advantages of a fixed P2P network and the mobility of a wireless device.

Since the RTMFP for Adobe AIR technology is under development, the documentation and tutorials available are very limited. With this thesis, further development based on this domain should have a solid foundation for understanding the technology and implementing a P2P system.

mobile P2P technology is big thing in the technology industry, not only does it enable direct search and sharing of multimedia content such as images, mobile games, music and video, but mobile devices has the extra dimension of being a personal device that is with us all the time, and in many ways defines us as individuals. The challenge will be to take advantage of this fact and find new areas to utilize the technology.

## 2. Future research :

There are many issues relevant to mobile peer-to-peer systems, which we did not address in this thesis; such as, trust, accountability and security.

In addition, we try in the future to implement this system as a hybrid peer-to-peer architecture, in order to allow the administrator of the super-peer to have full control on the content available in the network.

Also grouping and authentication mechanisms for handling different user groups must be studied more thoroughly to find out how to implement efficient file sharing among closed user groups.

---

## References

- [1] Abowd G.D, Iftode L, Mitchel H: The Smart Phone: A First Platform for Pervasive Computing. IEEE Pervasive Computing (2005) 18–19 April-June.
- [2] Roussos G, March A.J, Maglavera S: Enabling Pervasive Computing with Smart Phones. IEEE Pervasive Computing (2005) 20–27 April-June.
- [3] Research In Motion: Blackberry (2007) <http://www.blackberry.com/> (online visited 2007.10.04).
- [4] Symbian Software Limited: Symbian OS - the mobile operating system (2007) <http://www.symbian.com> (online visited 2007.10.04).
- [5] Microsoft Corporation: Windows Mobile (2007) <http://www.microsoft.com/> (online visited 2007.10.04).
- [6] Peer-to-Peer Programming with Wireless Devices By Tore Morkved, Master Thesis in Information and Communication Technology University of New South Wales, Sydney Australia&Agder University College, Grimstad Norway Sydney, June, 2005.
- [7] Dochstader, Mark. Peer to Peer Networking: Next Big Boom or Next Big Bust, IT toolbox Networking, 2001-03-12.
- [8] Unknown. Differences between Personal Java and MIDP Java Environments ,Symbian,[online][www.symbian.com/developer/techlib/papers/PJAE\\_MIDP/PJAE\\_MIDP\\_2.pdf](http://www.symbian.com/developer/techlib/papers/PJAE_MIDP/PJAE_MIDP_2.pdf),[accessed]14-06-2005.
- [9] Gong Li. Project JXTA: A Technology Overview , Sun Microsystems, Inc, 2002.
- [10] Anthony J. Howe. Napster and Gnutella: a Comparison of two Popular Peer-to-Peer Protocols. February 2002.
- [11] AnuragSingla and Christopher Rohrs.Ultrapeers: Another Step Towards Gnutella Scalability. December 2001.

---

[12] Ian Clarke, Oskar Sandberg, Brandon Wiley, and Theodore W. Hong. Freenet: A Distributed Anonymous Information Storage and Retrieval System. In H. Federrath, editor, *Anonymity 2000, LNCS 2009*, pages 46–66. 2001.

[13] Cirrus service for developing end-to-end applications using RTMFP in Flash Player 10 by Jozsef Vass  
[http://www.adobe.com/devnet/flashplayer/articles/rtmfp\\_cirrus\\_app.html](http://www.adobe.com/devnet/flashplayer/articles/rtmfp_cirrus_app.html).

[14] Peer-assisted networking using RTMFP groups in Flash Player 10.1 by David Hassoun and Jun Heider  
[http://www.adobe.com/devnet/flashmediaserver/articles/p2p\\_rtmfp\\_groups.html](http://www.adobe.com/devnet/flashmediaserver/articles/p2p_rtmfp_groups.html)

[15] ActionScript 3.0 overview by Gary Grossman and Emmy Huang  
[http://www.adobe.com/devnet/actionsript/articles/actionsript3\\_overview.html](http://www.adobe.com/devnet/actionsript/articles/actionsript3_overview.html)

---

## Cybergraphy

- [1] <http://www.apple.com/iphone/>
- [2] <http://www.macworld.com/article/60555/2007/10/iphonesdk.html>
- [3] <http://developer.symbian.com>
- [4] [http://wiki.forum.nokia.com/index.php/Data\\_caging](http://wiki.forum.nokia.com/index.php/Data_caging)
- [5] <http://msdn2.microsoft.com/en-us/library/>
- [6] <http://www.forum.nokia.com/main/platforms/s60/>
- [7] <http://msdn.microsoft.com/windowsmobile/>
- [8] <http://java.sun.com/products/sjwtoolkit/>
- [9] <http://www.vmware.com/>
- [10] <http://www.adobe.com/products/flashplatformruntimes/statistics.displayTab3tml>.
- [11] <http://www.statowl.com/flash.php>
- [15] Adobe to unify ColdFusion, Flex, Flash with Flash Builder 4 <http://arstechnica.com/information-technology/2010/03/adobe-to-unify-coldfusion-flex-flash-with-flash-builder-4/>
- [16] "Free Adobe Flash Platform Technologies". Adobe Developers Network.Adobe Systems.Archived from the original on 5 June 2010.Retrieved 20 July 2010. <http://www.adobe.com/devnet-apps/flex/free/>
- [17] Brimelow, Lee (15 May 2009). "A much needed name change". The Flash Blog.Adobe Systems.Archived from the original on 19 May 2009.Retrieved 16 May 2009. <http://www.leebrimelow.com/?p=993>
- [18] "Adobe Flash Builder 4 at Adobe Labs". Adobe Labs.Adobe Systems.Archived from the original on 6 June 2009.Retrieved 18 July 2009. <http://www.adobe.com/in/products/flash-builder-family.html>
- [12] [http://www.adobe.com/products/player\\_census/flashplayer/enterprise\\_penetration.html?PID=4172469](http://www.adobe.com/products/player_census/flashplayer/enterprise_penetration.html?PID=4172469)Adobe.com, study by Forrester Research, based on data from 50,000 corporate clients
- [13] <http://www.adobe.com/products/flashplatformruntimes/benefits.html>Adobe Systems. Retrieved 15 March 2011.
- [14] <https://www.adobe.com/products/air.html>

This project is a peer-to-peer application for multimedia file exchanging between Smartphone users.

The application design based on an open, the protocol that is used in this project is called RTMF, the application developed in ActionScript 3 for the Adobe AIR platform.

**Keyword:**RTMFP, Peer-To-Peer, ActionScript 3, Adobe AIR.

\*\*\*\*\*

Ce projet est une application peer-to-peer pour partager des fichiers multimédia entre utilisateurs de Smartphone.

La conception de l'application basée sur un processus ouvert, le protocole qui est utilisé dans ce projet est appelé RTMF, l'application développé en ActionScript3 pour la plate-forme Adobe AIR.

**Les mots clés:** RTMFP, Peer-To-Peer, ActionScript 3, Adobe AIR.

\*\*\*\*\*

هذا المشروع هو عبارة عن تطبيق الند للند لتبادل الملفات بين مستخدمي الهواتف الذكية.

و لقد صمم البرنامج على أساس مفتوح, ويسمى البروتوكول الذي تم استخدامه في هذا المشروع RTMF, اعتمدنا في بناء هذا البرنامج على لغة البرمجة ActionScript3 و منصة Adobe AIR.

**الكلمات المفتاحية:**RTMFP, Peer-To-Peer, Adobe AIR, ActionScript 3.